



CSX.0143

BARRIER BAG

Polyethylene bag for slow diffusion chemical barriers

Customs Code

3926 9097

Packaging

- Bulk material 1 unit

Family
Consilex

Product Lines
• **Opus**

Components
Single-component

Type
Slow diffusion accessories for masonry injections

Functional Categories
• **Sanification of masonry by stopping the rising damp**

Appearance
Plastic bag

General description

Graduated polyethylene bag, to be fixed by nailing to a suitable wooden or masonry stand, necessary for the chemical barriers against the capillary rising damp with the slow diffusion method.

Dosage

Product to buy as needed.

Fields of application

Chemical masonry cutting to put a final end to capillary rising damp.

Basic features



Unlimited shelf-life



Available colours
Transparent

Technical specifications

Non-toxic material

Odorless

Applicable on

Plasters, Concrete, Bricks, Tuff, Mixed walls (bricks and stones), Stone walls

Instructions for use

Secure the bag at about 1 metre height, relative to the pre-drilled holes for the injection of the chemical barrier resin, by nailing directly on the masonry, or preparing an adequate wooden support. The distance between bags will have to correspond to the distance between the pre-drilled holes. Connect the appropriate rubber provided with the bag itself. Insert the other end of the tubes directly into the holes provided for the chemical barrier, at the foot of the masonry. Pour the resin in the bags until they are completely filled. Refill the resin in the bags until the complete saturation of the relevant hole ("until refusal").

Storage and preservation

Store the product in its original packing, in a fresh and dry environment, avoiding frost and direct sunlight.



www.azichem.com

Updated: **24/08/2020**

General sales conditions and legal notices on

www.azichem.com/disclaimer



Warnings, Precautions and Ecology

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge.

Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage.

Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: www.azichem.com. The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: www.azichem.com.

It is forbidden to dispose of the product and/or packaging in the environment.

BARRIER BAG is produced/distributed by



Via Giovanni Gentile, 16/A - 46044 Goito (MN), Italy
info@azichem.com Tel. +39 0376.604185 /604365 Fax +39 0376 604398



www.azichem.com

Updated: **24/08/2020**
General sales conditions and legal
notices on
www.azichem.com/disclaimer