according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

SYNTECH HAG ECO comp. A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Single-component, hydro-expanded, semi-rigid, solvent free, injectable polyurethane resin. Component A.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street: Via G. Gentile16/A

Postal code/city: 46044 Goito (MN) **Telephone:** +390376604185/604365

Telefax: +39 0376 604398

Information contact: info@azichem.com

1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 ; H332 - Acute toxicity (inhalative) : Category 4 ; Harmful if inhaled.

Carc. 2; H351 - Carcinogenicity: Category 2; Suspected of causing cancer.

Eye Dam. 1; H318 - Serious eye damage/eye irritation: Category 1; Causes serious eye damage.

Skin Irrit. 2; H315 - Skin corrosion/irritation: Category 2; Causes skin irritation.

Resp. Sens. 1; H334 - Sensitisation to the respiratory tract: Category 1; May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1; H317 - Skin sensitisation: Category 1; May cause an allergic skin reaction.

STOT SE 3 ; H335 - STOT-single exposure : Category 3 ; May cause respiratory irritation.

STOT RE 2; H373 - STOT-repeated exposure: Category 2; May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms







Health hazard (GHS08) · Corrosion (GHS05) · Exclamation mark (GHS07) **Signal word**

Page: 1/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017

Danger

Hazard components for labelling

DIPHENYLMETHANE-4,4'-DIISOCYANATE, ISOMERES AND HOMOLOGUES; CAS No.: 9016-87-9 2-(ISOCYANATOSULFONYLMETHYL)BENZOIC ACID METHYL ESTER; CAS No.: 83056-32-0 4,4'-METHYLENEDIPHENYL DIISOCYANATE; CAS No.: 101-68-8

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage.

H332 Harmful if inhaled. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 Wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special rules for supplemental label elements for certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

 ${\tt DIPHENYLMETHANE-4,4'-DIISOCYANATE,\ ISOMERES\ AND\ HOMOLOGUES\ ;\ CAS\ No.:9016-87-9}$

Weight fraction : $\geq 50 - < 100 \%$

Classification 1272/2008 [CLP]: Resp. Sens. 1; H334 STOT RE 2; H373 Acute Tox. 4; H332 Skin Irrit. 2;

H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335

ISOCYANIC ACID, POLYMETHYLENEPOLYPHENYLENE ESTER, POLYMER WITH ALPHA-HYDRO-OMEGA.-

HYDROXYPOLYOXY (METHYL-1,2-ETHANEDYIL); CAS No.: 53862-89-8

Weight fraction : $\geq 10 - < 25 \%$

Classification 1272/2008 [CLP]: Flam. Liq. 3; H226 Resp. Sens. 1; H334 Muta. 2; H341 STOT RE 2; H373 Eye

Dam. 1; H318 Acute Tox. 4; H332

4,4'-METHYLENEDIPHENYL DIISOCYANATE; EC No.: 202-966-0; CAS No.: 101-68-8

Weight fraction: < 2,5 %

Classification 1272/2008 [CLP] : Resp. Sens. 1 ; H334 Carc. 2 ; H351 STOT RE 2 ; H373 Acute Tox. 4 ; H332 Skin

Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

Page: 2/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017

In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed

May cause eyes irritation, symptoms include redness, burning and pain. May produce an allergic reaction. Irritating to respiratory system. Irritating to skin.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage

Page: 3 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017



7.1 Precautions for safe handling

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage

Storage class: 12

Storage class (TRGS 510): 12

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

DIPHENYLMETHANE-4,4'-DIISOCYANATE, ISOMERES AND HOMOLOGUES; CAS No.: 9016-87-9

Limit value type (country of origin): TRGS 900 (D)
Parameter: E: inhalable fraction
Limit value: 0,05 mg/m³
Peak limitation: 1/=2=(I)
Remark: H, Sah, Y
Version: 06.11.2015

4,4'-METHYLENEDIPHENYL DIISOCYANATE; CAS No.: 101-68-8

Limit value type (country of origin): TRGS 900 (D)

Parameter: E: inhalable fraction

Limit value: 0,05 mg/m³

Peak limitation: 1/=2=(I)

Remark: H, Sa, Y

Version: 06.11.2015

Biological limit values

4,4'-METHYLENEDIPHENYL DIISOCYANATE; CAS No.: 101-68-8

Limit value type (country of origin): TRGS 903 (D)

Parameter: 4,4´-Diaminodiphenylmethane / Urine (U) / End of exposure or end of shift

Limit value : 0,01 mg/g Kr Version : 31.03.2004

DNEL/DMEL and PNEC values

Page: 4/9

(EN/D)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date : 04.07.2017 **Version (Revision) :** 2.0.0 (1.0.0)

Print date : 21.07.2017

DNEL/DMEL

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn

Personal protection equipment







When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection

Eye glasses with side protection

Skin protection

Hand protection

Tested protective gloves must be worn

Respiratory protection

Quarter-face mask (DIN EN 140) Half-face mask (DIN EN 140) Filtering Half-face mask (DIN EN 149)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Safety relevant basis data

	liquid	
	brown	
	typical	
(1013 hPa)	No data available	
((air = 1))	Data not available	
(1013 hPa)	No data available	
	No data available	
	400	°C
	No data available	
	Data not available	
	1,5	Vol-%
	12,5	Vol-%
	Data not available	
(20 °C)	No data available	
(20 °C)	1,177	g/cm ³
(20 °C)	No data available	
	No data available	
(20 °C)	not applicable	
(20 °C)	115	mPa.s
	Data not available	
	Data not available	
	1999/13/EC	
	Data not available	
	((air = 1)) (1013 hPa) (20 °C) (20 °C) (20 °C) (20 °C)	brown typical (1013 hPa) No data available ((air = 1)) Data not available (1013 hPa) No data available (1013 hPa) No data available No data available 400 No data available Data not available Data not available (20 °C) No data available Data not available (20 °C) Data not available (20 °C) Data not available Data not available Data not available Data not available

9.2 Other information

None

SECTION 10: Stability and reactivity

Page: 5 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017

10.1 Reactivity

No information available.

10.2 Chemical stability

See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

Reacts violently with water.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Water. Amines

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter: LD50 (DIPHENYLMETHANE-4,4 '-DIISOCYANATE, ISOMERES AND HOMOLOGUES ;

CAS No.: 9016-87-9)

Exposure route : Oral Species : Rat

Effective dose: 1500 mg/kg

Acute inhalation toxicity

Parameter: LD50 (DIPHENYLMETHANE-4,4 '-DIISOCYANATE, ISOMERES AND HOMOLOGUES ;

CAS No. : 9016-87-9)

Exposure route: Inhalation
Species: Rat
Effective dose: 490 mg/l

Irritant and corrosive effects

Irritating to eyes, respiratory system and skin.

Sensitisation

In case of skin contact

May cause sensitization by skin contact.

In case of inhalation

May cause sensitization by inhalation.

Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 Toxicity

Aquatic toxicity

Acute (short-term) algae toxicity

Parameter: EC50 (DIPHENYLMETHANE-4,4 '-DIISOCYANATE, ISOMERES AND HOMOLOGUES ;

CAS No.: 9016-87-9)

Page: 6 / 9

(EN/D)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017

Species: Acute (short-term) daphnia toxicity

Effective dose : > 100 mg/l Exposure time : 3 h

Parameter: EC50 (DIPHENYLMETHANE-4,4'-DIISOCYANATE, ISOMERES AND HOMOLOGUES ;

CAS No.: 9016-87-9)

Species: Acute (short-term) daphnia toxicity

Evaluation parameter : Daphnia magna
Effective dose : > 1000 mg/l
Exposure time : 24 h

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Page: 7 / 9

(EN/D)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. A

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 21.07.2017

EU legislation

Regulation (EC) 1907/2006/CE (REACh). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Commission Regulation (EU) No 1272/2008). Regulation (EC) No 1272/2008).

Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I): 95 - 100 %

Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 08. Occupational exposure limit values · 15. Technische Anleitung Luft (TA-Luft)

16.2 Abbreviations and acronyms

LEGENDA:

ADR: Accord européen relative au transport international des marchandises dangereuses par route

(accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)

ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS: European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze

chimiche in Commercio)

EC(0/50/100): Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)

LC(0/50/100): Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)
IC50: Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)

NOEL: No Observed Effect Level (Dose massima senza effetti)

NOEC: No Observed Effect Concentration (Concentrazione massima senza effetti)

LOEC: Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un

effetto)

DNEL: Derived No Effect Level (Dose derivata di non effetto)

DMEL: Derived Minimum Effect Level (Dose derivata di minimo effetto)

CLP: Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)

CSR: Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100): Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)

IATA: International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO: International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)

Page: 8 / 9

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



SYNTECH HAG ECO comp. A Trade name:

Revision date: 04.07.2017 Version (Revision): 2.0.0 (1.0.0)

Print date: 21.07.2017

> Codice IMDG: International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Maritimo)

PBT: Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche) RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses

(Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)

STEL: Short term exposure limit (limite di esposizione a breve termine)

TLV: Threshold limit value (soglia di valore limite)

TWA: Time Weighted Average (media ponderata nel tempo)

UF: Unione Europea

vPvB: Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)

N.D.: Non disponibile. N.A.: Non applicabile

Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water VwVwS.:

Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe - VwVwS)

PNFC. Predicted No Effect Concentration PNOS: Particulates not Otherwise Specified BOD: Biochemical Oxygen Demand COD: Chemical Oxygen Demand BCF: BioConcentration Factor

TRGS: Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The

Federal Institute for Occupational Safety and Health, Germany

LCLo: Lethal Concentration Low (La minima concentrazione letale)

ThOD: Theoretical Oxygen Demand

16.3 Key literature references and sources for data

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

16.5 Relevant H- and EUH-phrases (Number and full text)

Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

16.6 Training advice

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9 / 9