according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

SYNTECH HAG ECO comp. B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Single-component, hydro-expanded, semi-rigid, solvent free, injectable polyurethane resin. Component B.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street: Via G. Gentile16/A

Postal code/city: 46044 Goito (MN) **Telephone:** +390376604185/604365

Telefax: +39 0376 604398

Information contact: info@azichem.com

1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1; H400 - Hazardous to the aquatic environment: Acute 1; Very toxic to aquatic life.

Acute Tox. 4; H302 - Acute toxicity (oral): Category 4; Harmful if swallowed.

Eye Dam. 1; H318 - Serious eye damage/eye irritation: Category 1; Causes serious eye damage.

Skin Corr. 1B; H314 - Skin corrosion/irritation: Category 1B; Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms







Corrosion (GHS05) · Environment (GHS09) · Exclamation mark (GHS07)

Signal word

Danger

Hazard components for labelling

HEXADECYLDIMETHYLAMINE; CAS No.: 112-69-6

Hazard statements

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

Page: 1/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

H400 Very toxic to aquatic life.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P310 Immediately call a POISON CENTER/doctor

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

ISONONYL PHTHALATE; REACH registration No.: 01-2119430798-28; EC No.: 249-079-5; CAS No.: 28553-12-0

Weight fraction : $\geq 50 - < 100 \%$

Classification 1272/2008 [CLP]: None

 $\label{eq:hexadecyldimethylamine} \mbox{HEXADECYLDIMETHYLAMINE} \; ; \; \mbox{EC No.} \; : \; 203-997-2; \; \mbox{CAS No.} \; : \; 112-69-6$

Weight fraction : \geq 25 - < 50 %

Classification 1272/2008 [CLP]: Skin Corr. 1B; H314 Eye Dam. 1; H318 Acute Tox. 4; H302 Aquatic Acute 1;

H400

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. Cough, shortness of breath, headache, nausea, vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

Page: 2/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage

Storage class: 12

Storage class (TRGS 510): 8B

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Page: 3 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 Version (Revision): 2.0.0 (1.0.0)

Print date: 04.07.2017

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

Personal protection equipment







When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection

Eye glasses with side protection

Skin protection

Hand protection

Tested protective gloves must be worn

Respiratory protection

Quarter-face mask (DIN EN 140) Half-face mask (DIN EN 140) Filtering Half-face mask (DIN EN 149)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Safety relevant basis data

Aspect liquid	
Colour colourless	
Odour amminic	
Melting point/melting range : (1013 hPa) No data available	
Vapour density ((air = 1)) Data not available	
Initial boiling point and boiling range : (1013 hPa) No data available	
Decomposition temperature : No data available	
Self flammability 400 °	C
Flash point : No data available	
Flammability (solid, gas) Data not available	
Lower explosion limit: 0,3 V	/ol-%
Upper explosion limit: 1,7 V	/ol-%
Explosive properties Data not available	
Vapour pressure (20 °C) No data available	
Density: (20 °C) No data available	
Water solubility: (20 °C) No data available	
pH: No data available	
Log Pow (20 °C) not applicable	
Viscosity: (20 °C) No data available	
Odour threshold Data not available	

Page: 4/9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

 Evaporation rate
 Data not available

 Maximum VOC content (EC):
 1999/13/EC

 Oxidizing properties
 Data not available

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter: LD50 (HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6)

Exposure route : Oral Species : Rat

Effective dose : = 1015 mg/kg

Irritant and corrosive effects

Causes severe skin burns and eye damage.

Sensitisation

not sensitising.

Repeated dose toxicity (subacute, subchronic, chronic)

There were no chronic effects or effects at low concentrations.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 Toxicity

Aquatic toxicity

Acute (short-term) daphnia toxicity

Parameter: EC50 (HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6)

Species: Daphnia magna (Big water flea)

Effective dose : $66,5 \mu g/l$ Exposure time : 48 h

Page: 5 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

Acute (short-term) algae toxicity

Parameter: EC50 (HEXADECYLDIMETHYLAMINE ; CAS No. : 112-69-6)

Species: Desmodesmus subspicatus

 $\begin{array}{ll} \mbox{Effective dose}: & 9,9 \ \mu \mbox{g/l} \mbox{Exposure time}: & 72 \ \mbox{h} \end{array}$

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number

UN 2735

14.2 UN proper shipping name

Land transport (ADR/RID)

AMINES, LIQUID, CORROSIVE, N.O.S. $\dot{}$ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (<code>HEXADECYLDIMETHYLAMINE</code>)

Sea transport (IMDG)

AMINES, LIQUID, CORROSIVE, N.O.S. $\,^{\circ}$ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. $\,^{\circ}$ (<code>HEXADECYLDIMETHYLAMINE</code>)

Air transport (ICAO-TI / IATA-DGR)

AMINES, LIQUID, CORROSIVE, N.O.S. $\dot{}$ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (<code>HEXADECYLDIMETHYLAMINE</code>)

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 9
Classification code: M6
Hazard identification number (Kemler No.): 90
Tunnel restriction code: E

Special provisions : LQ $5 \cdot E1 \cdot ADR : -(SP \cdot 375 \le 5 \cdot kg)$

Hazard label(s): 9 / N

Sea transport (IMDG)

Class(es): 9 **EmS-No.:** F-A / S-F

Special provisions : LQ $5 \mid \cdot \mid E \mid 1 \cdot \mid MDG : -(SP 2.10.2.7 <= 5 \mid /kg)$

Page: 6 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

Hazard label(s): 9 / N

Air transport (ICAO-TI / IATA-DGR)

Class(es): 9

Special provisions : E 1 · IATA : - (SP A197 <= 5 l/kg)

Hazard label(s): 9 / N

14.4 Packing group

TTT

14.5 Environmental hazards

Land transport (ADR/RID): Yes **Sea transport (IMDG):** Yes (P)

Air transport (ICAO-TI / IATA-DGR): Yes

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) 1907/2006/CE (REACh). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Commission Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation (EC) No 1272/2008). Regulation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008).

Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Water hazard class (WGK)

Class: nwg (Non-hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling

16.2 Abbreviations and acronyms

Page: 7 / 9

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

LEGENDA:

ADR: Accord européen relative au transport international des marchandises dangereuses par route

(accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)

ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM) EINECS: European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze

chimiche in Commercio)

EC(0/50/100): Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)

LC(0/50/100): Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)
IC50: Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)

NOEL: No Observed Effect Level (Dose massima senza effetti)

NOEC: No Observed Effect Concentration (Concentrazione massima senza effetti)

LOEC: Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un

effetto)

DNEL: Derived No Effect Level (Dose derivata di non effetto)

DMEL: Derived Minimum Effect Level (Dose derivata di minimo effetto)

CLP: Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)

CSR: Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100): Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)

IATA: International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO: International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG: International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Maritimo)

PBT: Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)

STEL: Short term exposure limit (limite di esposizione a breve termine)

TLV: Threshold limit value (soglia di valore limite)

TWA: Time Weighted Average (media ponderata nel tempo)

UE: Unione Europea

vPvB: Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)

N.D.: Non disponibile. N.A.: Non applicabile

VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water

Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

PNEC: Predicted No Effect Concentration
PNOS: Particulates not Otherwise Specified
BOD: Biochemical Oxygen Demand
COD: Chemical Oxygen Demand
BCF: BioConcentration Factor

TRGS: Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The

Federal Institute for Occupational Safety and Health, Germany

LCLo: Lethal Concentration Low (La minima concentrazione letale)

ThOD: Theoretical Oxygen Demand

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

16.6 Training advice

None

Page: 8 / 9

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : SYNTECH HAG ECO comp. B

Revision date: 04.07.2017 **Version (Revision):** 2.0.0 (1.0.0)

Print date : 04.07.2017

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 9/9