

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

PLIOLFUL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Preparation for building and construction: Wall painting, odorless, with solvent with strong antifouling properties, antinicotin.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

AZICHEM Srl

Street : Via G. Gentile16/A

Postal code/city : 46044 Goito (MN)

Telephone : +390376604185/604365

Telefax : +39 0376 604398

Information contact : info@azichem.com

1.4 Emergency telephone number

Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h)

Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2 ; H225 - Flammable liquids : Category 2 ; Highly flammable liquid and vapour.

STOT RE 1 ; H372 - STOT-repeated exposure : Category 1 ; Causes damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Flame (GHS02) · Health hazard (GHS08)

Signal word

Danger

Hazard components for labelling

NAPHTHA (PETROLEUM), HYDRODESULFURIZED HEAVY ; CAS No. : 64742-82-1

Hazard statements

H225 Highly flammable liquid and vapour.

H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P314	Get medical advice/attention if you feel unwell.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P235	Store in a well-ventilated place. Keep cool.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

CALCIUM CARBONATE ; EC No. : 207-439-9; CAS No. : 471-34-1

Weight fraction : $\geq 30 - < 45$ %

Classification 1272/2008 [CLP] : None

NAPHTHA (PETROLEUM), HYDRODESULFURIZED HEAVY ; EC No. : 265-185-4; CAS No. : 64742-82-1

Weight fraction : $\geq 15 - < 30$ %

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304 STOT RE 1 ; H372

TITANIUM DIOXIDE ; EC No. : 236-675-5; CAS No. : 13463-67-7

Weight fraction : $\geq 5 - < 15$ %

Classification 1272/2008 [CLP] : None

1,2-DICHLOROPROPANE ; REACH registration No. : 01-2119557878-16 ; EC No. : 201-152-2; CAS No. : 78-87-5

Weight fraction : < 5 %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Acute Tox. 4 ; H302 Acute Tox. 4 ; H332

QUARTZ (SiO₂) ; EC No. : 238-878-4; CAS No. : 14808-60-7

Weight fraction : < 5 %

Classification 1272/2008 [CLP] : STOT RE 2 ; H373

METHANOL ; REACH registration No. : 01-2119433307-44 ; EC No. : 200-659-6; CAS No. : 67-56-1

Weight fraction : < 1 %

Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 STOT SE 1 ; H370

Additional information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion may cause a burning sensation in the mouth and stomach, abdominal pain, headache, nausea, lack of appetite, weakness, coma.

If swallowed, aspiration into the lungs may cause chemical pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO₂) Water mist

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide.

5.3 Advice for firefighters

Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

For non-emergency personnel

Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Protective measures

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

Hints on joint storage

Storage class : 3

Storage class (TRGS 510) : 3

Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CALCIUM CARBONATE ; CAS No. : 471-34-1

Limit value type (country of origin) : PEL (EC)

Limit value : 15 mg/m³

Remark : Polveri totali

Version :

Limit value type (country of origin) : TLV/TWA (EC)

Limit value : 10 mg/m³

Remark : Polveri totali

Version :

METHANOL ; CAS No. : 67-56-1

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 200 ppm / 270 mg/m³

Peak limitation : 4(II)

Remark : H, Y

Version : 06.11.2015

Limit value type (country of origin) : TWA (EC)

Limit value : 200 ppm / 260 mg/m³

Remark : H

Version : 07.02.2006

Biological limit values

METHANOL ; CAS No. : 67-56-1

Limit value type (country of origin) : TRGS 903 (D)

Methanol / Urine (U) / End of exposure or end of shift ; At long term exposure: after several previous shifts

Parameter :

Limit value : 30 mg/l

Version : 31.03.2004

DNEL/DMEL and PNEC values

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

DNEL/DMEL

Limit value type : DNEL Consumer (systemic) (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route : Oral
Exposure frequency : Short-term (acute)
Limit value : 6,1 mg/kg

Limit value type : DNEL Consumer (systemic) (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 10 mg/m³

Limit value type : DNEL Consumer (systemic) (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route : Oral
Exposure frequency : Long-term (repeated)
Limit value : 6,1 mg/kg

Limit value type : DNEL worker (systemic) (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 10 mg/m³

Limit value type : DNEL Consumer (systemic) (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Exposure route : Oral
Exposure frequency : Long-term (repeated)
Limit value : 700 mg/kg

Limit value type : DNEL worker (systemic) (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 10 mg/m³

Limit value type : DNEL Consumer (systemic) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Dermal
Exposure frequency : Long-term (repeated)
Limit value : 0,52 mg/kg

Limit value type : DNEL Consumer (systemic) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 14,44 mg/m³

Limit value type : DNEL Consumer (systemic) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Oral
Exposure frequency : Long-term (repeated)
Limit value : 0,52 mg/kg

Limit value type : DNEL worker (systemic) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Dermal
Exposure frequency : Long-term (repeated)
Limit value : 1,03 mg/kg

Limit value type : DNEL worker (systemic) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Inhalation
Exposure frequency : Long-term (repeated)
Limit value : 28,88 mg/m³

Limit value type : DNEL Consumer (local) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Exposure frequency : Short-term (acute)
Limit value : 50 mg/m³

Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route : Dermal
Exposure frequency : Long-term (repeated)
Limit value : 8 mg/kg

Limit value type : DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	50 mg/m ³
Limit value type :	DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Oral
Exposure frequency :	Long-term (repeated)
Limit value :	8 mg/kg
Limit value type :	DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Dermal
Exposure frequency :	Short-term (acute)
Limit value :	8 mg/kg
Limit value type :	DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Inhalation
Exposure frequency :	Short-term (acute)
Limit value :	50 mg/kg
Limit value type :	DNEL Consumer (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Oral
Exposure frequency :	Short-term (acute)
Limit value :	8 mg/kg
Limit value type :	DNEL worker (local) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Dermal
Exposure frequency :	Short-term (acute)
Limit value :	40 mg/kg
Limit value type :	DNEL worker (local) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Inhalation
Exposure frequency :	Short-term (acute)
Limit value :	260 mg/m ³
Limit value type :	DNEL worker (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Inhalation
Exposure frequency :	Short-term (acute)
Limit value :	260 mg/m ³
Limit value type :	DNEL worker (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Dermal
Exposure frequency :	Long-term (repeated)
Limit value :	40 mg/kg
Limit value type :	DNEL worker (systemic) (METHANOL ; CAS No. : 67-56-1)
Exposure route :	Inhalation
Exposure frequency :	Long-term (repeated)
Limit value :	260 mg/m ³

PNEC

Limit value type :	PNEC sewage treatment plant (STP) (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Limit value :	100 mg/l
Limit value type :	PNEC aquatic, freshwater (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	0,12 mg/l
Limit value type :	PNEC aquatic, intermittent release (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	0,61 mg/l
Limit value type :	PNEC aquatic, marine water (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	1 mg/l
Limit value type :	PNEC sediment, freshwater (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	1000 mg/kg
Limit value type :	PNEC sediment, marine water (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	100 mg/kg
Limit value type :	PNEC Soil (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	100 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Limit value type :	PNEC sewage treatment plant (STP) (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Limit value :	100 mg/l
Limit value type :	PNEC aquatic, freshwater (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,08 mg/l
Limit value type :	PNEC aquatic, intermittent release (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,53 mg/l
Limit value type :	PNEC aquatic, intermittent release (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,02 mg/l
Limit value type :	PNEC aquatic, marine water (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0 mg/l
Limit value type :	PNEC sediment, freshwater (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,15 mg/kg
Limit value type :	PNEC sediment, marine water (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,01 mg/kg
Limit value type :	PNEC Soil (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,02 mg/kg
Limit value type :	PNEC Secondary Poisoning (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	2,06 mg/kg
Limit value type :	PNEC sewage treatment plant (STP) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Limit value :	0,53 mg/l

8.2 Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Personal protection equipment



When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection

Use safety glasses.

Skin protection

Hand protection

Wear rubber gloves approved under standard EN374.

Respiratory protection

Use a mask with filter A2B2.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Safety relevant basis data

Aspect		Pasta
Colour		White or colored
Odour		none
Melting point/melting range :	(1013 hPa)	No data available
Vapour density	(air = 1)	Data not available
Initial boiling point and boiling range :	(1013 hPa)	No data available
Decomposition temperature :		No data available
Self flammability		No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Flash point :	>	22 °C
Flammability (solid, gas)		Data not available
Lower explosion limit :		No data available
Upper explosion limit :		No data available
Explosive properties		Data not available
Vapour pressure (20 °C)		No data available
Density : (20 °C)	=	1,51 g/cm ³
Density : (23 °C)		No data available
Water solubility : (20 °C)		insoluble
pH :	=	5
Log Pow (20 °C)		not applicable
Viscosity : (20 °C)		No data available
Viscosity : (23 °C)		No data available
Odour threshold		Data not available
Evaporation rate		Data not available
Maximum VOC content (EC) :		1999/13/EC
Oxidizing properties		Not oxidising

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

See section 7. No additional measures necessary.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Keep away from fire, sparks and ignition sources

10.5 Incompatible materials

Oxidising agent.

10.6 Hazardous decomposition products

Carbon monoxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Vapours may cause drowsiness and dizziness.

Acute effects

Acute oral toxicity

Parameter :	LD50 (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route :	Oral
Species :	Rat (female)
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg
Parameter :	LD50 (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route :	Oral
Species :	Rat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Effective dose : 2200 mg/kg
Parameter : LD50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Oral
Species : Rat
Effective dose : 1187 - 2769 mg/kg

Acute dermal toxicity

Parameter : LD50 (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route : Dermal
Species : Rat
Effective dose : > 2000 mg/kg
Parameter : LD50 (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Dermal
Species : Rabbit
Effective dose : 10100 mg/kg
Exposure time : 4 h
Parameter : LD50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Dermal
Species : Rabbit
Effective dose : = 17000 mg/kg

Acute inhalation toxicity

Parameter : LC50 (CALCIUM CARBONATE ; CAS No. : 471-34-1)
Exposure route : Inhalation
Species : Rat
Effective dose : > 3 mg/l
Exposure time : 4 h
Parameter : LC50 (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Exposure route : Inhalation
Species : Rat
Effective dose : > 6,82 mg/l
Exposure time : 4 h
Parameter : LD50 (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Exposure route : Inhalation
Species : Rat
Effective dose : 2000 ppm
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Rat
Effective dose : = 128,2 mg/l
Exposure time : 4 h
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Mouse
Effective dose : = 79,43 mg/l
Exposure time : 134 min
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Cat
Effective dose : = 85,41 mg/l
Exposure time : 4,5 h
Parameter : LC50 (METHANOL ; CAS No. : 67-56-1)
Exposure route : Inhalation
Species : Cat
Effective dose : = 43,68 mg/l
Exposure time : 6 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Irritant and corrosive effects

Not an irritant.

Sensitisation

not sensitising.

Repeated dose toxicity (subacute, subchronic, chronic)

Subacute oral toxicity

Ingestion may cause a burning sensation in the mouth and stomach, abdominal pain, headache, nausea, lack of appetite, weakness, coma.

If swallowed, aspiration into the lungs may cause chemical pneumonitis.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP.

SECTION 12: Ecological information

Do not allow uncontrolled discharge of product into the environment.

12.1 Toxicity

Aquatic toxicity

Bacteria toxicity

Parameter : EC50 (TITANIUM DIOXIDE ; CAS No. : 13463-67-7)
Species : Activated sludge
Effective dose : > 1000 mg/l
Exposure time : 3 h

12.2 Persistence and degradability

Biodegradation

Parameter : Biodegradation (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Inoculum : Degree of elimination
Effective dose : 11,7 %
Exposure time : 28 days

12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) (1,2-DICHLOROPROPANE ; CAS No. : 78-87-5)
Concentration : 7,8

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose according to legislation.

SECTION 14: Transport information

14.1 UN number

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

UN 1993

14.2 UN proper shipping name

Land transport (ADR/RID)

PAINTS · FLAMMABLE LIQUID, N.O.S. (1,2-DICHLOROPROPANE)

Sea transport (IMDG)

PAINTS · FLAMMABLE LIQUID, N.O.S. (1,2-DICHLOROPROPANE)

Air transport (ICAO-TI / IATA-DGR)

PAINTS · FLAMMABLE LIQUID, N.O.S. (1,2-DICHLOROPROPANE)

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 3
Classification code : F1
Hazard identification number (Kemler No.) : 33
Tunnel restriction code : D/E
Special provisions : LQ 4 · LQ 1 I · E 2 · ADR : III (<= 450 l)
Hazard label(s) : 3

Sea transport (IMDG)

Class(es) : 3
EmS-No. : F-E / S-E
Special provisions : LQ 1 I · E 2 · IMDG 2.3.2.3 (Packing group III <= 30 l)
Hazard label(s) : 3

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 3
Special provisions : E 2 · IATA 3.3.3.1 (Packing group III <= 30 l)
Hazard label(s) : 3

14.4 Packing group

II

14.5 Environmental hazards

Land transport (ADR/RID) : No
Sea transport (IMDG) : No
Air transport (ICAO-TI / IATA-DGR) : No

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) 1907/2006/CE (REACH). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 1297/2015 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008).

Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List

None

National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

Störfallverordnung

For substances contained in the product

METHANOL ; CAS No. : 67-56-1 ; Category : 26

Technische Anleitung Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : 5 - 10 %

Water hazard class (WGK)

Class : 3 (Strongly hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 14. UN proper shipping name - Land transport (ADR/RID) · 14. UN proper shipping name - Sea transport (IMDG) · 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR) · 14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

16.2 Abbreviations and acronyms

LEGENDA:

ADR:	Accord européen relative au transport international des marchandises dangereuses par route (accordo europeo relativo al trasporto internazionale delle merci pericolose su strada)
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze chimiche in Commercio)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50/100% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50/100% degli Individui)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
RID:	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
STEL:	Short term exposure limit (limite di esposizione a breve termine)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : PLIOLFUL
Revision date : 14.05.2017
Print date : 05.06.2017

Version (Revision) : 2.0.0 (1.0.0)

TLV:	Threshold limit value (soglia di valore limite)
TWA:	Time Weighted Average (media ponderata nel tempo)
UE:	Unione Europea
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
N.D.:	Non disponibile.
N.A.:	Non applicabile
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVWS)
PNEC:	Predicted No Effect Concentration
PNOS:	Particulates not Otherwise Specified
BOD:	Biochemical Oxygen Demand
COD:	Chemical Oxygen Demand
BCF:	BioConcentration Factor
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
ThOD:	Theoretical Oxygen Demand

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

calculated.

16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
